



# STRONG SHOULDERS FOR YOUR BUSINESS.

GENERAL TIRE SOLID SOLUTIONS

SINCE 1915.  
GENERAL TIRE. A BRAND OF CONTINENTAL.

**GENERAL TIRE** 

[WWW.GENERALTIRE-SPECIALTY.COM](http://WWW.GENERALTIRE-SPECIALTY.COM)



## GENERAL TIRE. A SOLID SOLUTION FOR MATERIAL HANDLING.

With over 100 years of experience, General Tire develops tires to get the job done right. Whatever material handling application you are operating in - our comprehensive portfolio of solid tires and press-on-bands is the solid answer to your requirements.

Every day, General Tire products will prove their excellent traction, proven tilt stability, and maneuverability when you need it most.

With its new sidewall design and a specific lettering layout General Tires demonstrates its strong brand and dominant product name.

The new sidewall also features a special robustness for demanding applications.



# LIFTER

OPTIMIZED FOR MATERIAL HANDLING.

The General Tire Lifter is the affordable partner for indoor and outdoor applications with a strong focus on robustness.




# FEATURES & BENEFITS



SPECIAL COMPOUND FOR TREAD AND SIDEWALL RESULTS IN PROTECTION AGAINST IMPACTS AND CUTS AND REDUCES TEAR PROLONGATION



BALANCED TRACTION AND COMFORT DUE TO SPECIAL SHIELD PATTERN



CLEAN AND ROBUST COMPOUND ELIMINATING FLOOR MARKINGS FOR SPECIAL INDUSTRIES

## APPLICATIONS



**INTENSITY**  
MEDIUM



**TIRE TYPE**  
SUPER ELASTIC  
BLACK /// CLEAN  
SIT /// S



**VEHICLE TYPE**  
FORKLIFT  
HEAVY FORKLIFT  
INDUSTRIAL TOW TRACTOR & TRAILER



**USAGE**  
INDOOR /// OUTDOOR



GENERAL TIRE.  
PRESS-ON-BANDS.



# TRAC

OPTIMIZED FOR MATERIAL HANDLING.

The General Tire Trac is an allround tire designed for applications where a gripping edge is needed such as on ramps and outdoor surfaces.





# FEATURES & BENEFITS



OPTIMIZED TREAD DESIGN ENSURES GOOD TRACTION AND HIGH STABILITY.



HIGH MILEAGE DUE TO WEAR RESISTANT COMPOUND.

## APPLICATIONS



**INTENSITY**  
MEDIUM



**TIRE TYPE**  
PRESS-ON-BANDS  
BLACK



**VEHICLE TYPE**  
FORKLIFT  
INDUSTRIAL TOW TRACTOR & TRAILER  
PALLET STACKER



**USAGE**  
INDOOR /// OUTDOOR


# SMOOTH

OPTIMIZED FOR MATERIAL HANDLING.

The General Tire Smooth is designed for indoor applications where rolling comfort and traction is best provided by a smooth pattern on hard flat indoor surfaces.



# FEATURES & BENEFITS



SMOOTH TREAD FOR HIGH TILTING STABILITY AND REDUCED TREAD CHUNKING.



SPECIAL COMPOUND PROVIDES ENHANCED ABRASION RESISTANCE FOR HIGH MILEAGE.



CLEAN COMPOUND FOR OPTIMIZED INDOOR PERFORMANCE AND MINIMIZED FLOOR MARKINGS.

## APPLICATIONS



**INTENSITY**  
MEDIUM



**TIRE TYPE**  
PRESS-ON-BANDS  
BLACK /// CLEAN



**VEHICLE TYPE**  
FORKLIFT  
INDUSTRIAL TOW TRACTOR & TRAILER  
PALLET STACKER



**USAGE**  
INDOOR

**SUPER ELASTIC**

# LIFTER



ARTICLE NO.	TYPE	DIMENSION		OTHER VEHICLES								FORKLIFTS			
		imperial Inch	metric mm	0 km/h (0 mph)		6 km/h (4 mph)		10 km/h (6 mph)		25 km/h (15 mph)		25 km/h (15 mph) Load		Steering	
				lbs	kg	lbs	kg	lbs	kg	lbs	kg	lbs	kg	lbs	kg
1375000000	SIT	4.00 - 8/3.00		498	1100	430	950	390	860	331	730	430	950	331	730
1375001000	S	4.00 - 8/3.00		498	1100	430	950	390	860	331	730	430	950	331	730
1375004000	SIT	15X4 1/2 - 8/3.00	125/75 - 8/3.00	548	1210	471	1040	428	945	362	800	471	1040	362	800
1375006000	S	15X4 1/2 - 8/3.00	125/75 - 8/3.00	548	1210	471	1040	428	945	362	800	471	1040	362	800
1375009000	SIT	5.00 - 8/3.00		746	1645	641	1415	582	1285	494	1090	641	1415	494	1090
1375010000	S	5.00 - 8/3.00		746	1645	641	1415	582	1285	494	1090	641	1415	494	1090
1375013000	SIT	16X 6 - 8/4.33	150/75 - 8/4.33	766	1690	659	1455	598	1320	521	1150	659	1455	521	1150
1375014000	S	16X 6 - 8/4.33	150/75 - 8/4.33	766	1690	659	1455	598	1320	521	1150	659	1455	521	1150
1375017000	SIT	18X7-8/4.33	180/70 - 8/4.33	1129	2490	972	2145	882	1945	748	1650	972	2145	748	1650
1375018000	S	18X7-8/4.33	180/70 - 8/4.33	1129	2490	972	2145	882	1945	748	1650	972	2145	748	1650
1375021000	SIT		140/55 - 9/4.00			530	1170	480	1060	408	900	530	1170	408	900
1375025000	SIT	6.00 - 9/4.00		993	2190	855	1885	775	1710	657	1450	855	1885	657	1450
1375026000	S	6.00 - 9/4.00		993	2190	855	1885	775	1710	657	1450	855	1885	657	1450
1375029000	SIT	21X 8 - 9/6.00	200/75 - 9/6.00	1451	3200	1249	2755	1136	2505	961	2120	1249	2755	961	2120
1375030000	S	21X 8 - 9/6.00	200/75 - 9/6.00	1451	3200	1249	2755	1136	2505	961	2120	1249	2755	961	2120
1375033000	SIT	6.50 - 10/5.00		1233	2720	1061	2340	963	2125	816	1800	1061	2340	816	1800
1375034000	S	6.50 - 10/5.00		1233	2720	1061	2340	963	2125	816	1800	1061	2340	816	1800
1375037000	SIT		200/50 - 10/6.50	1301	2870	1120	2470	1016	2240	861	1900	1120	2470	861	1900
1375038000	S		200/50 - 10/6.50	1301	2870	1120	2470	1016	2240	861	1900	1120	2470	861	1900
1375041000	SIT	23X9 - 10/6.50	225/75 - 10/6.50	1814	4000	1562	3445	1417	3125	1202	2650	1562	3445	1202	2650
1375042000	S	23X9 - 10/6.50	225/75 - 10/6.50	1814	4000	1562	3445	1417	3125	1202	2650	1562	3445	1202	2650
1375045000	SIT	7.00 - 12/5.00		1533	3380	1324	2920	1199	2645	1016	2240	1324	2920	1016	2240
1375046000	S	7.00 - 12/5.00		1533	3380	1324	2920	1199	2645	1016	2240	1324	2920	1016	2240
1375053000	SIT	27X10 - 12/8.00	250/75 - 12/8.00	2054	4530	1769	3900	1605	3540	1360	3000	1769	3900	1360	3000
1375054000	S	27X10 - 12/8.00	250/75 - 12/8.00	2054	4530	1769	3900	1605	3540	1360	3000	1769	3900	1360	3000
1375057000	SIT	7.00 - 15/5.50		1866	4115	1607	3545	1458	3215	1236	2725	1607	3545	1236	2725
1375058000	S	7.00 - 15/5.50		1866	4115	1607	3545	1458	3215	1236	2725	1607	3545	1236	2725
1375061000	SIT	7.50 - 15/6.5		2054	4530	1769	3900	1605	3540	1360	3000	1769	3900	1360	3000
1375062000	S	7.50 - 15/6.5		2054	4530	1769	3900	1605	3540	1360	3000	1769	3900	1360	3000
1375069000	SIT	8.25 - 15/6.50		2499	5510	2154	4750	1950	4300	1655	3650	2154	4750	1655	3650
1375070000	S	8.25 - 15/6.50		2499	5510	2154	4750	1950	4300	1655	3650	2154	4750	1655	3650
1375065000	SIT	28X 9 - 15/7.00	225/75 - 15/7.00	1986	4380	1710	3770	1551	3420	1315	2900	1710	3770	1315	2900
1375066000	S	28X 9 - 15/7.00	225/75 - 15/7.00	1986	4380	1710	3770	1551	3420	1315	2900	1710	3770	1315	2900
1375073000	SIT	250 - 15/7.00	250/70 - 15/7.00	2499	5510	2154	4750	1950	4300	1655	3650	2154	4750	1655	3650
1375074000	S	250 - 15/7.00	250/70 - 15/7.00	2499	5510	2154	4750	1950	4300	1655	3650	2154	4750	1655	3650
1375099000	SIT	250 - 15/7.50	250/70 - 15/7.50			2152	4745	1954	4310	1655	3650	2152	4745	1655	3650
1375100000	S	250 - 15/7.50	250/70 - 15/7.50			2152	4745	1954	4310	1655	3650	2152	4745	1655	3650
1375077000	SIT	300 - 15/8.00	315/70 - 15/8.00	3082	6795	2653	5850	2408	5310	2041	4500	2653	5850	2041	4500
1375078000	S	300 - 15/8.00	315/70 - 15/8.00	3082	6795	2653	5850	2408	5310	2041	4500	2653	5850	2041	4500
1375103000	SIT	28X12.5 - 15/9.75	355/45 - 15/9.75	2912	6420	2506	5525	2274	5015	1927	4250	2506	5525	1927	4250
1375104000	S	28X12.5 - 15	355/45 - 15/9.75	2912	6420	2506	5525	2274	5015	1927	4250	2506	5525	1927	4250
1375081000	SIT		355/65 - 15/9.75	4109	9060	3175	7000	2916	6430	2472	5450	3538	7800	2721	6000
1375082000	S		355/65 - 15/9.75	4109	9060	3175	7000	2916	6430	2472	5450	3538	7800	2721	6000
1375107000	S	10.00 - 20/6.50		3424	7550	2721	6000	2472	5450	2267	5000	2721	6000	2267	5000
1375108000	S	10.00 - 20/7.50		3424	7550	2721	6000	2472	5450	2267	5000	2721	6000	2267	5000
1375109000	S	10.00 - 20/8.00		3424	7550	2721	6000	2472	5450	2267	5000	2721	6000	2267	5000
1375085000	S	12.00 - 20/8.00		4281	9440	3401	7500	3088	6810	2834	6250	3401	7500	2834	6250
1375086000	S	12.00 - 20/8.50		4281	9440	3401	7500	3088	6810	2834	6250	3401	7500	2834	6250
1375087000	S	12.00 - 20/10.00		4431	9770	3522	7765	3197	7050	2934	6470	3522	7765	2934	6470
1375088000	S	14.00 - 24/10.00		6284	13855	4989	11000	4535	10000	4161	9175	4989	11000	4161	9175

# LIFTER CLEAN



ARTICLE NO.	TYPE	DIMENSION		OTHER VEHICLES								FORKLIFTS			
		imperial Inch	metric mm	0 km/h (0 mph)		6 km/h (4 mph)		10 km/h (6 mph)		25 km/h (15 mph)		25 km/h (15 mph) Load		Steering	
				lbs	kg	lbs	kg	lbs	kg	lbs	kg	lbs	kg	lbs	kg
1375002000	SIT	4.00 - 8/3.00		498	1100	430	950	390	860	331	730	430	950	331	730
1375003000	S	4.00 - 8/3.00		498	1100	430	950	390	860	331	730	430	950	331	730
1375007000	SIT	15X4 1/2 - 8/3.00	125/75 - 8/3.00	548	1210	471	1040	428	945	362	800	471	1040	362	800
1375008000	S	15X4 1/2 - 8/3.00	125/75 - 8/3.00	548	1210	471	1040	428	945	362	800	471	1040	362	800
1375011000	SIT	5.00 - 8/3.00		746	1645	641	1415	582	1285	494	1090	641	1415	494	1090
1375012000	S	5.00 - 8/3.00		746	1645	641	1415	582	1285	494	1090	641	1415	494	1090
1375015000	SIT	16X 6 - 8/4.33	150/75 - 8/4.33	766	1690	659	1455	598	1320	521	1150	659	1455	521	1150
1375016000	S	16X 6 - 8/4.33	150/75 - 8/4.33	766	1690	659	1455	598	1320	521	1150	659	1455	521	1150
1375019000	SIT	18X7-8/4.33	180/70 - 8/4.33	1129	2490	972	2145	882	1945	748	1650	972	2145	748	1650
1375020000	S	18X7-8/4.33	180/70 - 8/4.33	1129	2490	972	2145	882	1945	748	1650	972	2145	748	1650
1375023000	SIT		140/55 - 9/4.00			530	1170	480	1060	408	900	530	1170	408	900
1375027000	SIT	6.00 - 9/4.00		993	2190	855	1885	775	1710	657	1450	855	1885	657	1450
1375028000	S	6.00 - 9/4.00		993	2190	855	1885	775	1710	657	1450	855	1885	657	1450
1375031000	SIT	21X 8 - 9/6.00	200/75 - 9/6.00	1451	3200	1249	2755	1136	2505	961	2120	1249	2755	961	2120
1375032000	S	21X 8 - 9/6.00	200/75 - 9/6.00	1451	3200	1249	2755	1136	2505	961	2120	1249	2755	961	2120
1375035000	SIT	6.50 - 10/5.00		1233	2720	1061	2340	963	2125	816	1800	1061	2340	816	1800
1375036000	S	6.50 - 10/5.00		1233	2720	1061	2340	963	2125	816	1800	1061	2340	816	1800
1375039000	SIT		200/50 - 10/6.50	1301	2870	1120	2470	1016	2240	861	1900	1120	2470	861	1900
1375040000	S		200/50 - 10/6.50	1301	2870	1120	2470	1016	2240	861	1900	1120	2470	861	1900
1375043000	SIT	23X9 - 10/6.50	225/75 - 10/6.50	1814	4000	1562	3445	1417	3125	1202	2650	1562	3445	1202	2650
1375044000	S	23X9 - 10/6.50	225/75 - 10/6.50	1814	4000	1562	3445	1417	3125	1202	2650	1562	3445	1202	2650
1375047000	SIT	7.00 - 12/5.00		1533	3380	1324	2920	1199	2645	1016	2240	1324	2920	1016	2240
1375048000	S	7.00 - 12/5.00		1533	3380	1324	2920	1199	2645	1016	2240	1324	2920	1016	2240
1375055000	SIT	27X10 - 12/8.00	250/75 - 12/8.00	2054	4530	1769	3900	1605	3540	1360	3000	1769	3900	1360	3000
1375056000	S	27X10 - 12/8.00	250/75 - 12/8.00	2054	4530	1769	3900	1605	3540	1360	3000	1769	3900	1360	3000
1375059000	SIT	7.00 - 15/5.50		1866	4115	1607	3545	1458	3215	1236	2725	1607	3545	1236	2725
1375060000	S	7.00 - 15/5.50		1866	4115	1607	3545	1458	3215	1236	2725	1607	3545	1236	2725
1375063000	SIT	7.50 - 15/6.5		2054	4530	1769	3900	1605	3540	1360	3000	1769	3900	1360	3000
1375064000	S	7.50 - 15/6.5		2054	4530	1769	3900	1605	3540	1360	3000	1769	3900	1360	3000
1375071000	SIT	8.25 - 15/6.50		2499	5510	2154	4750	1950	4300	1655	3650	2154	4750	1655	3650
1375072000	S	8.25 - 15/6.50		2499	5510	2154	4750	1950	4300	1655	3650	2154	4750	1655	3650
1375067000	SIT	28X 9 - 15/7.00	225/75 - 15/7.00	1986	4380	1710	3770	1551	3420	1315	2900	1710	3770	1315	2900
1375068000	S	28X 9 - 15/7.00	225/75 - 15/7.00	1986	4380	1710	3770	1551	3420	1315	2900	1710	3770	1315	2900
1375075000	SIT	250 - 15/7.00	250/70 - 15/7.00	2499	5510	2154	4750	1950	4300	1655	3650	2154	4750	1655	3650
1375076000	S	250 - 15/7.00	250/70 - 15/7.00	2499	5510	2154	4750	1950	4300	1655	3650	2154	4750	1655	3650
1375101000	SIT	250 - 15/7.50	250/70 - 15/7.50			2152	4745	1954	4310	1655	3650	2152	4745	1655	3650
1375102000	S	250 - 15/7.50	250/70 - 15/7.50			2152	4745	1954	4310	1655	3650	2152	4745	1655	3650
1375079000	SIT	300 - 15/8.00	315/70 - 15/8.00	3082	6795	2653	5850	2408	5310	2041	4500	2653	5850	2041	4500
1375080000	S	300 - 15/8.00	315/70 - 15/8.00	3082	6795	2653	5850	2408	5310	2041	4500	2653	5850	2041	4500
1375105000	SIT	28X12.5 - 15/9.75	355/45 - 15/9.75	2912	6420	2506	5525	2274	5015	1927	4250	2506	5525	1927	4250
1375106000	S	28X12.5 - 15/9.75	355/45 - 15/9.75	2912	6420	2506	5525	2274	5015	1927	4250	2506	5525	1927	4250
1375083000	SIT		355/65 - 15/9.75	4109	9060	3175	7000	2916	6430	2472	5450	3538	7800	2721	6000
1375084000	S		355/65 - 15/9.75	4109	9060	3175	7000	2916	6430	2472	5450	3538	7800	2721	6000

## PRESS-ON-BANDS

# SMOOTH



ARTICLE NO.	DIMENSION		FORKLIFTS								OTHER VEHICLES					
	imperial Inch	metric mm	10 km/h (6 mph)				16 km/h (10 mph)				6 km/h (4 mph)		10 km/h (6 mph)		16 km/h (10 mph)	
			Load		Steering		Load		Steering		lbs	kg	lbs	kg	lbs	kg
13003110000	10X5X6 1/2	254/127-165	2227	1010	1830	830	1995	905	1676	760	2227	1010	1830	830	1676	760
13003730000	12X4 1/2X8	305/114-203	2293	1040	1885	855	2050	930	1720	780					1642	745
13003120000	14X4 1/2X8	356/114-203	2579	1170	2116	960	2304	1045	1929	875	2579	1170	2116	960	1929	875
13003750000	14X5X10	356/127-254	2943	1335	2414	1095	2635	1195	2205	1000					2105	955
13003130000	15X5X11 1/4	381/127-286	3064	1390	2524	1145	2734	1240	2304	1045	3064	1390	2524	1145	2304	1045
13003160000	16X5X10 1/2	406/127-267	3329	1510	2734	1240	2965	1345	2491	1130	3329	1510	2734	1240	2491	1130
13003170000	16X6X10 1/2	406/152-267	4222	1915	3461	1570	3770	1710	3164	1435	4222	1915	3461	1570	3164	1435
13003770000	16X7X10 1/2	406/178-267	5126	2325	4211	1910	4564	2070	3836	1740					3660	1660
13003140000	16 1/4X5X11 1/4	413/127-286	3362	1525	2756	1250	2998	1360	2524	1145	3362	1525	2756	1250	2524	1145
13003150000	16 1/4X6X11 1/4	413/152-286	4233	1920	3472	1575	3781	1715	3175	1440	4233	1920	3472	1575	3175	1440
13003190000	18X6X12 1/8	457/152-308	4619	2095	3792	1720	4123	1870	3472	1575	4619	2095	3792	1720	3472	1575
13003210000	18X7X12 1/8	457/178-308	5622	2550	4619	2095	5027	2280	4222	1915	5622	2550	4619	2095	4222	1915
13003790000	18X8X12 1/8	457/203-308	6614	3000	5456	2475	5908	2680	4960	2250					4740	2150
13003230000	21X7X15	533/178-381	6327	2870	5192	2355	5644	2560	4740	2150	6327	2870	5192	2355	4740	2150
13003250000	21X8X15	533/203-381	7463	3385	6129	2780	6658	3020	5589	2535	7463	3385	6129	2780	5589	2535
13003270000	22X8X16	559/203-406	7727	3505	6349	2880	6900	3130	5787	2625	7727	3505	6349	2880	5787	2625
13003280000	22X9X16	559/229-406	8896	4035	7308	3315	7948	3605	6669	3025	8896	4035	7308	3315	6669	3025
13003810000	22X12X16	559/305-406	12401	5625	10196	4625	11089	5030	9315	4225					8874	4025

# SMOOTH CLEAN

ARTICLE NO.	DIMENSION		FORKLIFTS								OTHER VEHICLES					
	imperial Inch	metric mm	10 km/h (6 mph)				16 km/h (10 mph)				6 km/h (4 mph)		10 km/h (6 mph)		16 km/h (10 mph)	
			Load		Steering		Load		Steering		lbs	kg	lbs	kg	lbs	kg
13003360000	10X5X6 1/2	254/127-165	2227	1010	1830	830	1995	905	1676	760	2227	1010	1830	830	1676	760
13003370000	14X4 1/2X8	356/114-203	2579	1170	2116	960	2304	1045	1929	875	2579	1170	2116	960	1929	875
13003760000	14X5X10	356/127-254	2943	1335	2414	1095	2635	1195	2205	1000					2105	955
13003380000	15X5X11 1/4	381/127-286	3064	1390	2524	1145	2734	1240	2304	1045	3064	1390	2524	1145	2304	1045
13003390000	16 1/4X5X11 1/4	413/127-286	3362	1525	2756	1250	2998	1360	2524	1145	3362	1525	2756	1250	2524	1145
13003400000	16 1/4X6X11 1/4	413/152-286	4233	1920	3472	1575	3781	1715	3175	1440	4233	1920	3472	1575	3175	1440
13003410000	16X5X10 1/2	406/127-267	3329	1510	2734	1240	2965	1345	2491	1130	3329	1510	2734	1240	2491	1130
13003420000	16X6X10 1/2	406/152-267	4222	1915	3461	1570	3770	1710	3164	1435	4222	1915	3461	1570	3164	1435
13003780000	16X7X10 1/2	406/178-267	5126	2325	4211	1910	4564	2070	3836	1740					3660	1660
13003440000	18X6X12 1/8	457/152-308	4619	2095	3792	1720	4123	1870	3472	1575	4619	2095	3792	1720	3472	1575
13003460000	18X7X12 1/8	457/178-308	5622	2550	4619	2095	5027	2280	4222	1915	5622	2550	4619	2095	4222	1915
13003800000	18X8X12 1/8	457/203-308	6614	3000	5456	2475	5908	2680	4960	2250					4740	2150
13003480000	21X7X15	533/178-381	6327	2870	5192	2355	5644	2560	4740	2150	6327	2870	5192	2355	4740	2150
13003500000	21X8X15	533/203-381	7463	3385	6129	2780	6658	3020	5589	2535	7463	3385	6129	2780	5589	2535
13003520000	22X8X16	559/203-406	7727	3505	6349	2880	6900	3130	5787	2625	7727	3505	6349	2880	5787	2625
13003530000	22X9X16	559/229-406	8896	4035	7308	3315	7948	3605	6669	3025	8896	4035	7308	3315	6669	3025
13003820000	22X12X16	559/305-406	12401	5625	10196	4625	11089	5030	9315	4225					8874	4025
13003810000	22X12X16	559/305-406	12401	5625	10196	4625	11089	5030	9315	4225						

# TRAC



ARTICLE NO.	DIMENSION		FORKLIFTS								OTHER VEHICLES					
	imperial Inch	metric mm	10 km/h (6 mph)				16 km/h (10 mph)				6 km/h (4 mph)		10 km/h (6 mph)		16 km/h (10 mph)	
			Load		Steering		Load		Steering		lbs	kg	lbs	kg	lbs	kg
			lbs	kg	lbs	kg	lbs	kg	lbs	kg	lbs	kg	lbs	kg	lbs	kg
13003550000	10X5X6 1/2	254/127-165	2227	1010	1830	830	1995	905	1676	760	2227	1010	1830	830	1676	760
13003570000	16X5X10 1/2	406/127-267	3329	1510	2734	1240	2965	1345	2491	1130	3329	1510	2734	1240	2491	1130
13003180000	16X6X10 1/2	406/152-267	4222	1915	3461	1570	3770	1710	3164	1435	4222	1915	3461	1570	3164	1435
13003200000	18X6X12 1/8	457/152-308	4619	2095	3792	1720	4123	1870	3472	1575	4619	2095	3792	1720	3472	1575
13003220000	18X7X12 1/8	457/178-308	5622	2550	4619	2095	5027	2280	4222	1915	5622	2550	4619	2095	4222	1915
13003240000	21X7X15	533/178-381	6327	2870	5192	2355	5644	2560	4740	2150	6327	2870	5192	2355	4740	2150
13003260000	21X8X15	533/203-381	7463	3385	6129	2780	6658	3020	5589	2535	7463	3385	6129	2780	5589	2535
13003290000	22X9X16	559/229-406	8896	4035	7308	3315	7948	3605	6669	3025	8896	4035	7308	3315	6669	3025

**Continental Reifen Deutschland**  
Commercial Specialty Tires  
Büttnerstraße 25  
D-30165 Hannover

T. +49 511 938-01  
mail\_service@conti.de  
www.generaltire-specialty.com

**GENERALTIRE** ™